


## High-Load Ringlock System Scaffolding 48.3mm Diameter Horizontal Load Capacity $\geq 15\text{KN}$

Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

### Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Model Number: BT03



### Product Specification

- Joints: Double-locking
- Horizontal Load Capacity:  $\geq 15\text{KN}$
- Weight:  $\leq 30\text{kg/m}^2$
- Material: Q235 Steel
- Safety Factor:  $\geq 4$
- Size: 48.3mm
- Components: Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
- Surface Treatment: Hot-dip Galvanized



## Product Description

### Product Description:

Ringlock Scaffolding System is a heavy-duty, high-performance scaffolding system made of high-quality Q235 steel. It is designed to meet the highest safety standards, with a vertical load capacity of 45KN and a safety factor of 4. It has a maximum height of 30m and comes with a two-year warranty. Ringlock Scaffolding System is the perfect choice for your industrial and construction needs, providing reliable and durable support for your scaffolding projects. With its superior strength and stability, Ringlock Scaffolding System ensures that you get the best results for your project. Its easy installation and assembly make it an ideal solution for any scaffolding application. Trust Ringlock Scaffolding System to provide you with the most reliable and durable scaffolding solution.

### Technical Parameters:

Product Attribute	Parameter
Surface Treatment	Hot-dip Galvanized
Standard	EN12810 & EN12811
Joints	Double-locking
Horizontal Load Capacity	≥15KN
Weight	≤30kg/m <sup>2</sup>
Size	48.3mm
Max Height	≤30m
Material	Q235 Steel
Components	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
Vertical Load Capacity	≥45KN
Ringlock Accessories	Ringlock Andamios, Ringlock Andamios System

### Applications:

Bythai BT03 Ringlock System Scaffolding is the perfect choice for a wide range of projects. It offers superior stability and durability thanks to its hot-dip galvanized surface treatment and double-locking joints. The Q235 steel material and low weight of ≤30kg/m<sup>2</sup> makes it easy to handle and transport, allowing for quick and easy installation. The horizontal adjustment of  $\leq \pm 3^\circ$  provides additional flexibility for any project.

Bythai BT03 Ringlock System Scaffolding is ideal for a variety of applications, including construction, engineering, petrochemical, oil and gas, and other industries. It is perfect for ringlock ledger, ringlock standard, Ringlock andamios, ringlock scaffolding, and other scaffolding system. It is robust and reliable and can be used for a wide range of projects, small and large.

Bythai BT03 Ringlock System Scaffolding is a great choice for anyone looking for a durable and reliable scaffolding system. With its hot-dip galvanized surface treatment and double-locking joints, it is sure to meet the demands of any project. Its Q235 steel material and low weight makes it easy to transport and install, while its horizontal adjustment of  $\leq \pm 3^\circ$  provides extra flexibility.

### Customization:

Customized Ringlock System Scaffolding Service from Bythai

Bythai offers you premium Ringlock System Scaffolding, with the model number BT03. Our Ringlock Scaffolding System features a double-locking joint, which ensures maximum stability and safety. Our Ringlock ledger and Ringlock standard are made of high quality materials, with a size of 48.3mm and a safety factor of  $\geq 4$ , and the max height is  $\leq 30$ m. Furthermore, our Ringlock System Scaffolding comes with a 2-year warranty.

### Packing and Shipping:

Packaging and Shipping for Ringlock System Scaffolding

The Ringlock System Scaffolding is designed to be easily disassembled and reassembled. To ensure efficient and safe packaging and shipping of this product, the following steps should be taken:

Carefully package each component of the Ringlock System Scaffolding separately to prevent damage in transit.

Check each component for any signs of wear or defect before shipping.

Use durable and waterproof packaging materials to protect the components from the elements.

Label the package clearly with the contents and destination.

If shipping by truck or air, secure the product inside the shipping container using straps or other securing mechanisms.

If shipping by sea, use an appropriate watertight container.

Track the shipment and ensure it is delivered to its destination in a timely manner.

## FAQ:

Q: What is Ringlock System Scaffolding?

A: Ringlock System Scaffolding is a kind of modular scaffolding system designed and manufactured by Bythai, with the model number of BT03.

Q: Where is Ringlock System Scaffolding made?

A: Ringlock System Scaffolding is made in China.

Q: What is the brand name of Ringlock System Scaffolding?

A: Ringlock System Scaffolding is manufactured by Bythai.

Q: What are the advantages of Ringlock System Scaffolding?

A: Ringlock System Scaffolding is incredibly durable and strong, and can be adjusted to different heights and can be used in a variety of different applications.

Q: What material is Ringlock System Scaffolding made of?

A: Ringlock System Scaffolding is made of high quality galvanized steel, making it incredibly strong and durable.



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China