

EN39 Standard Scaffold Tube With 3.2mm Thickness For Heavy Duty Construction

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Tensile Strength: 420N/mm2
- Yield Strength: 245N/mm2
- Thickness: 3.2mm
- Material: Galvanised Steel
- Application: Scaffolding
- Name: Galvanised Scaffold Tube
- Weight: 6.4kg/m
- Standard: EN39
- Highlight: **EN39 Standard Scaffold Tube,
3.2mm Thickness Scaffold Tube,
420N/mm2 Galvanised Scaffold Tube**



Product Description:

Galvanised Scaffold Tube – A Durable and Versatile Scaffolding Solution

The Galvanised Scaffold Tube is a high-quality scaffolding product made from galvanised steel. It is designed to provide a strong and durable support system for construction and maintenance work. This product is widely used in the construction industry and is known for its reliability, strength, and versatility.

Material: Galvanised Steel

The Galvanised Scaffold Tube is made from galvanised steel, which is known for its exceptional strength and durability. Galvanised steel is a type of steel that has been coated with a layer of zinc to protect it from corrosion. This coating also gives the steel a shiny and attractive finish. This makes the Galvanised Scaffold Tube not only strong and durable but also aesthetically pleasing.

Name: Galvanised Scaffold Tube

As the name suggests, the Galvanised Scaffold Tube is a type of tube scaffolding made from galvanised steel. It is also commonly referred to as hot dip galvanized scaffolding steel tube. This name highlights the key feature of the product, which is its galvanised steel construction.

Standard: EN39

The Galvanised Scaffold Tube meets the standards set by EN39, which is a European standard for scaffolding materials. This standard ensures that the product is of high quality, safe, and suitable for use in construction projects. The EN39 standard also specifies the dimensions and tolerances for the Galvanised Scaffold Tube, making it a reliable and consistent product.

Tensile Strength: 420N/mm²

The Galvanised Scaffold Tube has a tensile strength of 420N/mm², which means it can withstand a maximum tension force of 420 Newtons per square millimetre. This high tensile strength makes the product suitable for use in heavy-duty construction projects. It also ensures the safety and stability of the scaffolding system.

Thickness: 3.2mm

The Galvanised Scaffold Tube has a thickness of 3.2mm, which is the standard thickness for scaffolding tubes. This thickness provides the necessary strength and stability to support the weight of workers and materials on the scaffolding. It also ensures the durability of the product, making it a cost-effective and long-lasting solution.

Versatile Scaffolding System

The Galvanised Scaffold Tube is a key component of a versatile scaffolding system. It can be used in a variety of construction projects, including building construction, renovations, and maintenance work. The scaffolding system can be easily assembled and disassembled, making it a convenient and efficient solution for temporary support structures.

In conclusion, the Galvanised Scaffold Tube is a reliable, durable, and versatile scaffolding product made from galvanised steel. Its high tensile strength, standard thickness, and compliance with EN39 standards make it a preferred choice for construction projects. It is an essential component of a safe and efficient scaffolding system, providing a strong and stable support for workers and materials.







Technical Parameters:

Parameter	Value	
Surface Treatment	Galvanised	
Standard	EN39	
Thickness	3.2mm	
Material	Galvanised Steel	
Tensile Strength	420N/mm2	
Name	Galvanised Scaffold Tube	
Yield Strength	245N/mm2	
Weight	6.4kg/m	
Application	Scaffolding	
Diameter	48.3mm	
Keyword		Value
Galvanised Scaffold Tubes		Galvanised
Galvanized Scaffold Tube 48		EN39
Galvanized Scaffold Tube 48.3		3.2mm

Applications:

Galvanised Scaffold Tube - The Perfect Choice for Your Construction Needs

As a leading brand in the scaffolding industry, Bythai Scaffolding is proud to introduce our high-quality Galvanised Scaffold Tube, model number BT01. Made with galvanised steel and meeting the strict standards of SGS certification, this product is the perfect choice for all your scaffolding needs.

Origin and Price

Our Galvanised Scaffold Tube is produced in China, ensuring the best quality and competitive pricing. With a price range of \$5-\$18 per tube, it is a cost-effective solution for any construction project.

Material and Specifications

Made from galvanised steel, our scaffold tube is highly durable and resistant to corrosion. With a thickness of 3.2mm, it has a tensile strength of 420N/mm2 and a yield strength of 245N/mm2, making it strong and reliable for use in any construction site.

Application and Usage

Our Galvanised Scaffold Tube is widely used in the construction industry for its versatility and strength. It is an essential component of any scaffold system, providing a sturdy support structure for workers and materials. It is commonly used in building sites to create scaffolding frames and platforms, providing a safe and stable working environment for construction workers.

Packaging and Delivery

To ensure the safety and convenience of our customers, our scaffold tubes are packaged in bundles for easy handling and transportation. We have a supply ability of 1000 tons per month, and our delivery time is 7-15 days. We offer flexible payment terms of TT/LC for our customers' convenience.

Why Choose Galvanised Scaffold Tube from Bythai Scaffolding?

High-quality galvanised steel material

SGS certification for guaranteed quality

Strong and durable with high tensile and yield strength

Affordable pricing for cost-effective solutions

Widely used in the construction industry

Safe and reliable support structure for workers and materials

Flexible payment terms and fast delivery

Choose Bythai Scaffolding's Galvanised Scaffold Tube for your next construction project and experience the difference in safety and durability. Contact us now to place your order and join our satisfied customers from all over the world!

© 2021 Bythai Scaffolding. All Rights Reserved.

Customization:

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Thickness: 3.2mm

Diameter: 48.3mm

Name: Galvanised Scaffold Tube

Weight: 6.4kg/m

Surface Treatment: Galvanised

Upgrade your scaffolding system with our customized galvanised scaffold tubes from Bythai Scaffolding. Our tube and coupler scaffolding is made of high-quality steel and pipe, ensuring durability and reliable performance. Our products are SGS certified, giving you peace of mind in terms of quality and safety.

With a competitive price range of \$5-\$18, our galvanised scaffold tubes are a cost-effective solution for your construction needs. We offer fast delivery within 7-15 days and flexible payment options of TT or LC. Our strong supply capacity of 1000 tons per month guarantees a steady and timely supply of products.

Our galvanised scaffold tubes have a thickness of 3.2mm and a diameter of 48.3mm, ensuring precise dimensions for a perfect fit in your scaffolding system. The galvanised surface treatment provides a corrosion-resistant coating, making our tubes suitable for both indoor and outdoor use.

Choose Bythai Scaffolding for a customized service that meets your specific requirements. Trust us to provide you with high-quality galvanised scaffold tubes that will enhance the safety and efficiency of your construction projects. Contact us now and let us help you achieve your scaffolding needs.

Packing and Shipping:

Galvanised Scaffold Tube Packaging and Shipping

Our Galvanised Scaffold Tubes are carefully packaged and shipped to ensure safe delivery to our customers.

Packaging:

Each tube is individually wrapped in protective material to prevent scratches and damage during transportation. The tubes are then stacked and secured with strapping to prevent movement and ensure stability.

In addition, our packaging includes clear labeling for easy identification and handling.

Shipping:

We offer various shipping options to accommodate our customers' needs. Our tubes can be shipped via standard ground shipping, air freight, or sea freight.

For domestic shipping, we use reliable carriers to ensure timely delivery. For international shipping, we work with trusted freight forwarders to ensure smooth customs clearance and delivery to our customers.

Our shipping department carefully tracks each order and provides customers with a tracking number for their convenience.

With our efficient packaging and shipping process, our customers can rest assured that their Galvanised Scaffold Tubes will arrive in perfect condition and on time.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China